















**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A00231-9899-136</b>	Svenska Tanso AB-Number <b>04.01.203</b>	
Filter cartridge Mann H34.1158/4 ø340 x 450 mm		
Equivalent to OEM-Number <b>A290-8001-X737</b>	Svenska Tanso AB-Number <b>24.06.025</b>	
Wire guide sapphire 16.0 x 18.0 x 4.0 mm		
Equivalent to OEM-Number <b>A290-8002-X737</b>	Svenska Tanso AB-Number <b>24.06.030</b>	
Wire guide sapphire 16.0 x 15.0 x 4.0 mm		
Equivalent to OEM-Number <b>A290-8004-V316</b>	Svenska Tanso AB-Number <b>24.56.305</b>	
Lower guide roller assy		
Equivalent to OEM-Number <b>A290-8004-V335</b>	Svenska Tanso AB-Number <b>24.56.500</b>	
Reel divisible		
Equivalent to OEM-Number <b>A290-8004-X410</b>	Svenska Tanso AB-Number <b>24.56.204</b>	
Felt pad		
Equivalent to OEM-Number <b>A290-8004-X713</b>	Svenska Tanso AB-Number <b>24.56.303</b>	
Roller		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8005-X722</b>	Svenska Tanso AB-Number <b>24.56.003</b>	
Isolation plate		
Equivalent to OEM-Number <b>A290-8011-X750</b>	Svenska Tanso AB-Number <b>24.06.120</b>	
Wire guide D = 0.20 mm upper/lower H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8011-X751</b>	Svenska Tanso AB-Number <b>24.06.121</b>	
Wire guide D = 0.25 mm upper/lower H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8011-X833</b>	Svenska Tanso AB-Number <b>24.06.130</b>	
Wire guide D = 0.205 mm upper/lower H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8011-X834</b>	Svenska Tanso AB-Number <b>24.06.131</b>	
Wire guide D = 0.255 mm upper/lower H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8018-X443</b>	Svenska Tanso AB-Number <b>24.06.254</b>	
Wire Guide D = 0.20 mm lower H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8018-X444</b>	Svenska Tanso AB-Number <b>24.06.255</b>	
Wire Guide D = 0.25 mm lower H = 3.0 mm		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8018-X445</b>	Svenska Tanso AB-Number <b>24.06.256</b>	
Wire Guide D = 0.30 mm lower H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8018-X463</b>	Svenska Tanso AB-Number <b>24.06.264</b>	
Wire Guide D = 0.20 mm upper H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8018-X464</b>	Svenska Tanso AB-Number <b>24.06.265</b>	
Wire Guide D = 0.25 mm upper H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8018-X465</b>	Svenska Tanso AB-Number <b>24.06.266</b>	
Wire Guide D = 0.30 mm upper H = 3.0 mm		
Equivalent to OEM-Number <b>A290-8021-X709</b>	Svenska Tanso AB-Number <b>24.56.001</b>	
Lower isolation plate		
Equivalent to OEM-Number <b>A290-8021-X745</b>	Svenska Tanso AB-Number <b>24.56.004</b>	
Insulating guide		
Equivalent to OEM-Number <b>A290-8021-X762</b>	Svenska Tanso AB-Number <b>24.06.097</b>	
Wire guide D = 0.05 mm up - 28.0 mm H = 5.0 mm		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8021-X763</b>	Svenska Tanso AB-Number <b>24.06.098</b>	
Wire guide D = 0.10 mm up - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X764</b>	Svenska Tanso AB-Number <b>24.06.099</b>	
Wire guide D = 0.15 mm up - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X765</b>	Svenska Tanso AB-Number <b>24.06.100</b>	
Wire guide D = 0.20 mm up - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X766</b>	Svenska Tanso AB-Number <b>24.06.101</b>	
Wire guide D = 0.25 mm up - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X767</b>	Svenska Tanso AB-Number <b>24.06.102</b>	
Wire guide D = 0.30 mm up - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X772</b>	Svenska Tanso AB-Number <b>24.06.107</b>	
Wire guide D = 0.05 mm low - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X773</b>	Svenska Tanso AB-Number <b>24.06.108</b>	
Wire guide D = 0.10 mm low - 28.0 mm H = 5.0 mm		




**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8021-X774</b>	Svenska Tanso AB-Number <b>24.06.109</b>	
Wire guide D = 0.15 mm low - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X775</b>	Svenska Tanso AB-Number <b>24.06.110</b>	
Wire guide D = 0.20 mm low - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X776</b>	Svenska Tanso AB-Number <b>24.06.111</b>	
Wire guide D = 0.25 mm low - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-X777</b>	Svenska Tanso AB-Number <b>24.06.112</b>	
Wire guide D = 0.30 mm low - 28.0 mm H = 5.0 mm		
Equivalent to OEM-Number <b>A290-8021-Y701</b>	Svenska Tanso AB-Number <b>24.06.040</b>	
Sapphire roller D = 5.0 x 8.0 mm		
Equivalent to OEM-Number <b>A290-8021-Y705</b>	Tanso-Number <b>24.67.002</b>	
Nozzle D = 8.0 mm		
Equivalent to OEM-Number <b>A290-8021-Y745</b>	Svenska Tanso AB-Number <b>24.67.014</b>	
Upper nozzle D = 5.5 mm		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8021-Y755</b>	Svenska Tanso AB-Number <b>24.67.001</b>	
Lower nozzle D = 5.5 mm		
Equivalent to OEM-Number <b>A290-8032-V742</b>	Svenska Tanso AB-Number <b>24.56.206</b>	
Roller assy R		
Equivalent to OEM-Number <b>A290-8032-V746</b>	Svenska Tanso AB-Number <b>24.56.207</b>	
Roller assy L		
Equivalent to OEM-Number <b>A290-8032-V853</b>	Svenska Tanso AB-Number <b>24.56.301</b>	
Roller assembly		
Equivalent to OEM-Number <b>A290-8032-X334</b>	Svenska Tanso AB-Number <b>24.56.002</b>	
Isolating plate		
Equivalent to OEM-Number <b>A290-8032-X626</b>	Svenska Tanso AB-Number <b>24.56.100</b>	
Wire cutter		
Equivalent to OEM-Number <b>A290-8032-X732</b>	Svenska Tanso AB-Number <b>24.06.156</b>	
Wire guide D = 0.105 mm lower with AWF		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8032-X734</b>	Svenska Tanso AB-Number <b>24.06.158</b>	
Wire guide D = 0.155 mm lower with AWF		
Equivalent to OEM-Number <b>A290-8032-X735</b>	Svenska Tanso AB-Number <b>24.06.160</b>	
Wire guide D = 0.205 mm lower with AWF		
Equivalent to OEM-Number <b>A290-8032-X736</b>	Svenska Tanso AB-Number <b>24.06.162</b>	
Wire guide D = 0.255 mm lower with AWF		
Equivalent to OEM-Number <b>A290-8032-X737</b>	Svenska Tanso AB-Number <b>24.06.164</b>	
Wire guide D = 0.305 mm lower with AWF		
Equivalent to OEM-Number <b>A290-8032-X762</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8032-X732		
Equivalent to OEM-Number <b>A290-8032-X764</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8032-X734		
Equivalent to OEM-Number <b>A290-8032-X766</b>	Svenska Tanso AB-Number <b>24.06.319</b>	
Lower wire guide D = 0.25 mm		







**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8032-X767</b>	Svenska Tanso AB-Number ---.---.---	
Replaced by A290-8032-X737		
Equivalent to OEM-Number <b>A290-8032-X772</b>	Svenska Tanso AB-Number <b>24.06.146</b>	
Wire guide diamond D = 0.105 mm upper with AWF		
Equivalent to OEM-Number <b>A290-8032-X774</b>	Svenska Tanso AB-Number <b>24.06.148</b>	
Wire guide diamond D = 0.155 mm upper with AWF		
Equivalent to OEM-Number <b>A290-8032-X775</b>	Svenska Tanso AB-Number <b>24.06.150</b>	
Wire guide diamond D = 0.205 mm upper with AWF		
Equivalent to OEM-Number <b>A290-8032-X776</b>	Svenska Tanso AB-Number <b>24.06.152</b>	
Wire guide diamond D = 0.255 mm upper with AWF		
Equivalent to OEM-Number <b>A290-8032-X777</b>	Svenska Tanso AB-Number <b>24.06.154</b>	
Wire guide diamond D = 0.305 mm upper with AWF		
Equivalent to OEM-Number <b>A290-8032-Y611</b>	Svenska Tanso AB-Number <b>24.67.005</b>	
Nozzle D = 5.5 mm		






**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8032-Z882</b>	Svenska Tanso AB-Number <b>23.06.332</b>	
Power feeder W1 - W4 Auto Thread		
Equivalent to OEM-Number <b>A290-8037-X645</b>	Svenska Tanso AB-Number <b>24.56.103</b>	
Die guide		
Equivalent to OEM-Number <b>A290-8037-X689</b>	Svenska Tanso AB-Number <b>24.67.006</b>	
Nozzle D = 11.0 mm		
Equivalent to OEM-Number <b>A290-8037-X870</b>	Svenska Tanso AB-Number <b>24.67.004</b>	
Nozzle D = 13.0 mm		
Equivalent to OEM-Number <b>A290-8037-X879</b>	Svenska Tanso AB-Number <b>24.67.003</b>	
Nozzle D = 5.5 mm		
Equivalent to OEM-Number <b>A290-8037-X919</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8039-Y914		
Equivalent to OEM-Number <b>A290-8037-X950</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8039-Y913		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8037-X960</b>	Svenska Tanso AB-Number <b>23.07.428</b>	
Belt 13 x 1172 mm		
Equivalent to OEM-Number <b>A290-8037-X961</b>	Svenska Tanso AB-Number <b>23.07.429</b>	
Belt 13 x 1422 mm		
Equivalent to OEM-Number <b>A290-8037-X966</b>	Svenska Tanso AB-Number <b>23.07.430</b>	
Upper belt 13 x 1376 mm		
Equivalent to OEM-Number <b>A290-8037-X967</b>	Svenska Tanso AB-Number <b>23.07.431</b>	
Belt 13 x 1628 mm		
Equivalent to OEM-Number <b>A290-8038-X919</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8039-Y914		
Equivalent to OEM-Number <b>A290-8039-X860</b>	Svenska Tanso AB-Number <b>23.07.416</b>	
Upper belt 14 x 1112 mm (W1)		
Equivalent to OEM-Number <b>A290-8039-X861</b>	Svenska Tanso AB-Number <b>23.07.417</b>	
Lower belt 14 x 1417 mm (W1)		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8039-X919</b>	Svenska Tanso AB-Number ---.---.---	
Replaced by A290-8039-Y914		
Equivalent to OEM-Number <b>A290-8039-Y913</b>	Svenska Tanso AB-Number <b>24.56.309</b>	
Roller A		
Equivalent to OEM-Number <b>A290-8039-Y914</b>	Svenska Tanso AB-Number <b>24.56.300</b>	
Roller B		
Equivalent to OEM-Number <b>A290-8040-X860</b>	Svenska Tanso AB-Number <b>23.07.419</b>	
Upper belt 14 x 1315 mm (W2)		
Equivalent to OEM-Number <b>A290-8040-X861</b>	Svenska Tanso AB-Number <b>23.07.420</b>	
Lower belt 14 x 1620 mm (W2)		
Equivalent to OEM-Number <b>A290-8046-X860</b>	Svenska Tanso AB-Number <b>23.07.422</b>	
Upper belt 21 x 1645 mm (W3)		
Equivalent to OEM-Number <b>A290-8046-X861</b>	Svenska Tanso AB-Number <b>23.07.423</b>	
Lower belt 21 x 1962 mm (W3)		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8047-X860</b>	Svenska Tanso AB-Number <b>23.07.425</b>	
Upper belt 21 x 2080 mm (W4)		
Equivalent to OEM-Number <b>A290-8047-X861</b>	Svenska Tanso AB-Number <b>23.07.426</b>	
Lower belt 21 x 2400 mm (W4)		
Equivalent to OEM-Number <b>A290-8048-X759</b>	Svenska Tanso AB-Number <b>23.06.340</b>	
Power feeder		
Equivalent to OEM-Number <b>A290-8048-X771</b>	Svenska Tanso AB-Number <b>24.67.007</b>	
Water nozzle upper D = 7.0 mm		
Equivalent to OEM-Number <b>A290-8048-X772</b>	Svenska Tanso AB-Number <b>24.67.008</b>	
Water nozzle lower D = 7.0 mm		
Equivalent to OEM-Number <b>A290-8048-Y771</b>	Svenska Tanso AB-Number <b>24.67.026</b>	
Nozzle		
Equivalent to OEM-Number <b>A290-8048-Y772</b>	Svenska Tanso AB-Number <b>24.67.027</b>	
Nozzle		






**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8092-X702</b>	Svenska Tanso AB-Number <b>24.06.210</b>	
Guide upper D = 0.10 mm		
Equivalent to OEM-Number <b>A290-8092-X703</b>	Svenska Tanso AB-Number <b>24.06.212</b>	
Guide upper D = 0.14 mm		
Equivalent to OEM-Number <b>A290-8092-X704</b>	Svenska Tanso AB-Number <b>24.06.213</b>	
Guide upper D = 0.15 mm		
Equivalent to OEM-Number <b>A290-8092-X705</b>	Svenska Tanso AB-Number <b>24.06.216</b>	
Guide upper D = 0.20 mm		
Equivalent to OEM-Number <b>A290-8092-X706</b>	Svenska Tanso AB-Number <b>24.06.219</b>	
Guide upper D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8092-X707</b>	Svenska Tanso AB-Number <b>24.06.222</b>	
Guide upper D = 0.30 mm		
Equivalent to OEM-Number <b>A290-8092-X708</b>	Svenska Tanso AB-Number <b>24.06.225</b>	
Guide upper D = 0.33 mm		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8092-X712</b>	Svenska Tanso AB-Number <b>24.06.230</b>	
Guide lower D = 0.10 mm		
Equivalent to OEM-Number <b>A290-8092-X713</b>	Svenska Tanso AB-Number <b>24.06.232</b>	
Guide lower D = 0.14 mm		
Equivalent to OEM-Number <b>A290-8092-X714</b>	Svenska Tanso AB-Number <b>24.06.233</b>	
Guide lower D = 0.15 mm		
Equivalent to OEM-Number <b>A290-8092-X715</b>	Svenska Tanso AB-Number <b>24.06.236</b>	
Guide lower D = 0.20 mm		
Equivalent to OEM-Number <b>A290-8092-X716</b>	Svenska Tanso AB-Number <b>24.06.239</b>	
Guide lower D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8092-X717</b>	Svenska Tanso AB-Number <b>24.06.242</b>	
Guide lower D = 0.30 mm		
Equivalent to OEM-Number <b>A290-8092-X718</b>	Svenska Tanso AB-Number <b>24.06.245</b>	
Guide lower D = 0.33 mm		




**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8101-X371</b>	Svenska Tanso AB-Number <b>24.56.311</b>	
Brake shoe		
Equivalent to OEM-Number <b>A290-8101-X706</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8101-X734		
Equivalent to OEM-Number <b>A290-8101-X716</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8101-X744		
Equivalent to OEM-Number <b>A290-8101-X730</b>	Svenska Tanso AB-Number <b>24.06.170</b>	
Guide upper D = 0.10 mm		
Equivalent to OEM-Number <b>A290-8101-X732</b>	Svenska Tanso AB-Number <b>24.06.173</b>	
Guide upper D = 0.15 mm		
Equivalent to OEM-Number <b>A290-8101-X733</b>	Svenska Tanso AB-Number <b>24.06.176</b>	
Guide upper D = 0.20 mm		
Equivalent to OEM-Number <b>A290-8101-X734</b>	Svenska Tanso AB-Number <b>24.06.179</b>	
Guide upper D = 0.25 mm		







**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8101-X735</b>	Svenska Tanso AB-Number <b>24.06.182</b>	
Guide upper D = 0.30 mm		
Equivalent to OEM-Number <b>A290-8101-X740</b>	Svenska Tanso AB-Number <b>24.06.190</b>	
Guide lower D = 0.10 mm		
Equivalent to OEM-Number <b>A290-8101-X742</b>	Svenska Tanso AB-Number <b>24.06.193</b>	
Guide lower D = 0.15 mm		
Equivalent to OEM-Number <b>A290-8101-X743</b>	Svenska Tanso AB-Number <b>24.06.196</b>	
Guide lower D = 0.20 mm		
Equivalent to OEM-Number <b>A290-8101-X744</b>	Svenska Tanso AB-Number <b>24.06.199</b>	
Guide lower D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8101-X745</b>	Svenska Tanso AB-Number <b>24.06.202</b>	
Guide lower D = 0.30 mm		
Equivalent to OEM-Number <b>A290-8101-X750</b>	Svenska Tanso AB-Number <b>23.06.331</b>	
Power feeder Alpha		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8101-X753</b>	Svenska Tanso AB-Number <b>24.56.108</b>	
Upper sub die guide		
Equivalent to OEM-Number <b>A290-8101-X755</b>	Svenska Tanso AB-Number <b>24.67.011</b>	
Nozzle cap		
Equivalent to OEM-Number <b>A290-8101-X756</b>	Svenska Tanso AB-Number <b>24.67.009</b>	
Lower nozzle		
Equivalent to OEM-Number <b>A290-8101-X765</b>	Svenska Tanso AB-Number <b>24.56.308</b>	
Ceramic roller		
Equivalent to OEM-Number <b>A290-8101-X771</b>	Svenska Tanso AB-Number <b>24.56.700</b>	
Cover		
Equivalent to OEM-Number <b>A290-8101-X776</b>	Svenska Tanso AB-Number <b>24.67.010</b>	
Upper nozzle		
Equivalent to OEM-Number <b>A290-8101-X777</b>	Svenska Tanso AB-Number <b>24.67.020</b>	
Lower nozzle for taper cut		




**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8101-X778</b>	Svenska Tanso AB-Number <b>24.67.021</b>	
Upper nozzle for big taper cut		
Equivalent to OEM-Number <b>A290-8101-X779</b>	Svenska Tanso AB-Number <b>24.67.019</b>	
Lower nozzle		
Equivalent to OEM-Number <b>A290-8101-Z383</b>	Svenska Tanso AB-Number <b>24.56.313</b>	
Feed roller		
Equivalent to OEM-Number <b>A290-8102-X620</b>	Svenska Tanso AB-Number <b>24.56.104</b>	
Guide		
Equivalent to OEM-Number <b>A290-8102-X656</b>	Svenska Tanso AB-Number <b>24.06.500</b>	
Chuck		
Equivalent to OEM-Number <b>A290-8102-X657</b>	Svenska Tanso AB-Number <b>24.06.501</b>	
Cutting electrode		
Equivalent to OEM-Number <b>A290-8102-X659</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8102-X656		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8102-X684</b>	Svenska Tanso AB-Number <b>24.56.111</b>	
Spring		
Equivalent to OEM-Number <b>A290-8102-X751</b>	Svenska Tanso AB-Number <b>24.67.012</b>	
Upper nozzle		
Equivalent to OEM-Number <b>A290-8102-X752</b>	Svenska Tanso AB-Number <b>24.67.017</b>	
Upper nozzle for taper cut		
Equivalent to OEM-Number <b>A290-8102-X764</b>	Svenska Tanso AB-Number <b>24.56.102</b>	
Nozzle		
Equivalent to OEM-Number <b>A290-8102-X771</b>	Svenska Tanso AB-Number <b>24.67.013</b>	
Lower nozzle		
Equivalent to OEM-Number <b>A290-8102-X772</b>	Svenska Tanso AB-Number <b>24.67.018</b>	
Lower nozzle for taper cut		
Equivalent to OEM-Number <b>A290-8102-X774</b>	Svenska Tanso AB-Number <b>24.67.016</b>	
Lower nozzle D = 4.0 mm		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8102-X775</b>	Svenska Tanso AB-Number <b>24.67.015</b>	
Upper nozzle D = 4.0 mm		
Equivalent to OEM-Number <b>A290-8104-X612</b>	Svenska Tanso AB-Number <b>24.56.109</b>	
Block		
Equivalent to OEM-Number <b>A290-8104-X620</b>	Svenska Tanso AB-Number <b>24.56.112</b>	
Guide		
Equivalent to OEM-Number <b>A290-8104-X633</b>	Svenska Tanso AB-Number <b>24.56.110</b>	
Detection pin		
Equivalent to OEM-Number <b>A290-8104-X705</b>	Svenska Tanso AB-Number <b>24.06.306</b>	
Upper wire guide 45° D = 0.20 mm		
Equivalent to OEM-Number <b>A290-8104-X706</b>	Svenska Tanso AB-Number <b>24.06.309</b>	
Upper wire guide 45° D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8104-X774</b>	Svenska Tanso AB-Number <b>24.67.022</b>	
Lower nozzle D=2 mm		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8104-X775</b>	Svenska Tanso AB-Number <b>24.67.023</b>	
Upper nozzle D=2 mm		
Equivalent to OEM-Number <b>A290-8109-X776</b>	Svenska Tanso AB-Number <b>24.67.024</b>	
Nozzle		
Equivalent to OEM-Number <b>A290-8109-X778</b>	Svenska Tanso AB-Number <b>24.67.025</b>	
Nozzle		
Equivalent to OEM-Number <b>A290-8110-V384/STD</b>	Svenska Tanso AB-Number <b>24.56.306</b>	
Roller assembly		
Equivalent to OEM-Number <b>A290-8110-X382</b>	Svenska Tanso AB-Number <b>24.56.310</b>	
Pressure roller		
Equivalent to OEM-Number <b>A290-8110-X383</b>	Svenska Tanso AB-Number <b>24.56.307</b>	
Drive roller		
Equivalent to OEM-Number <b>A290-8110-X715</b>	Svenska Tanso AB-Number <b>24.06.276</b>	
Lower wire guide D = 0.20 mm		







**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8110-X716</b>	Svenska Tanso AB-Number <b>24.06.279</b>	
Lower wire guide D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8110-X717</b>	Svenska Tanso AB-Number <b>24.06.282</b>	
Lower wire guide D = 0.30 mm		
Equivalent to OEM-Number <b>A290-8110-X750</b>	Svenska Tanso AB-Number <b>23.06.333</b>	
Power feeder		
Equivalent to OEM-Number <b>A290-8110-X774</b>	Svenska Tanso AB-Number <b>24.56.106</b>	
Sub die guide		
Equivalent to OEM-Number <b>A290-8110-Y726</b>	Svenska Tanso AB-Number <b>24.56.107</b>	
Sub Die Guide		
Equivalent to OEM-Number <b>A290-8110-Y734</b>	Svenska Tanso AB-Number <b>24.06.325</b>	
Upper wire guide D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8110-Y744</b>	Svenska Tanso AB-Number <b>24.06.335</b>	
Lower wire guide D = 0.25 mm		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A290-8110-Y774</b>	Svenska Tanso AB-Number <b>24.56.105</b>	
Guide		
Equivalent to OEM-Number <b>A290-8110-Z715</b>	Svenska Tanso AB-Number <b>24.06.296</b>	
Lower wire guide 45° D = 0.20 mm		
Equivalent to OEM-Number <b>A290-8110-Z716</b>	Svenska Tanso AB-Number <b>24.06.299</b>	
Lower wire guide 45° D = 0.25 mm		
Equivalent to OEM-Number <b>A290-8111-X776</b>	Svenska Tanso AB-Number <b>24.67.028</b>	
Nozzle		
Equivalent to OEM-Number <b>A290-8112-X382</b>	Svenska Tanso AB-Number <b>24.56.314</b>	
Roller		
Equivalent to OEM-Number <b>A290-8112-X383</b>	Svenska Tanso AB-Number <b>24.56.315</b>	
Roller		
Equivalent to OEM-Number <b>A660-8011-T648/LWG</b>	Svenska Tanso AB-Number <b>---,---,---</b>	
Replaced by 24.56.603		





**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A660-8011-T684/LWG</b>	Svenska Tanso AB-Number <b>24.56.603</b>	
Lower cable		
Equivalent to OEM-Number <b>A660-8011-T711/DET</b>	Svenska Tanso AB-Number <b>24.56.602</b>	
Ground cable		
Equivalent to OEM-Number <b>A660-8011-T711/LWG</b>	Svenska Tanso AB-Number <b>24.56.601</b>	
Ground cable		
Equivalent to OEM-Number <b>A91L-0001-0066</b>	Svenska Tanso AB-Number <b>24.56.400</b>	
Flow meter		
Equivalent to OEM-Number <b>A97L-0001-0652/20</b>	Svenska Tanso AB-Number <b>24.06.140</b>	
Wire guide D = 0.21 mm upper/lower H = 15.0 mm		
Equivalent to OEM-Number <b>A97L-0001-0652/26</b>	Svenska Tanso AB-Number <b>24.06.141</b>	
Wire guide D = 0.26 mm upper/lower H = 15.0 mm		
Equivalent to OEM-Number <b>A97L-0001-0664/15S1P</b>	Svenska Tanso AB-Number <b>23.06.310</b>	
Power feeder 15.9 x 6.4 mm		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A97L-0001-0664/25S1P</b>	Svenska Tanso AB-Number <b>23.06.320</b>	
Power feeder 25.4 x 9.5 mm		
Equivalent to OEM-Number <b>A97L-0001-0670/1260Z</b>	Svenska Tanso AB-Number <b>24.56.200</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0001-0670/1450Z</b>	Svenska Tanso AB-Number <b>24.56.201</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0001-0670/1560ZZ</b>	Svenska Tanso AB-Number <b>24.56.210</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0001-0670/1650HH</b>	Svenska Tanso AB-Number <b>24.56.208</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0001-0670/DRF2280H</b>	Svenska Tanso AB-Number <b>24.56.202</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0001-0670/LF1450ZZ</b>	Svenska Tanso AB-Number <b>24.56.205</b>	
Bearing		








**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A97L-0001-0670/LF1470ZZ</b>	Svenska Tanso AB-Number <b>24.56.203</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0001-0986</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A97L-0001-0670/1260Z		
Equivalent to OEM-Number <b>A97L-0124-T001</b>	Svenska Tanso AB-Number <b>24.56.302</b>	
Rolling tip complete		
Equivalent to OEM-Number <b>A97L-0126-0001/15S1P</b>	Svenska Tanso AB-Number <b>23.06.342</b>	
Electrode pin		
Equivalent to OEM-Number <b>A97L-0201-0369/6001LLU</b>	Svenska Tanso AB-Number <b>24.56.209</b>	
Bearing		
Equivalent to OEM-Number <b>A97L-0201-0369/6203 LLU</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A290-8101-X765		
Equivalent to OEM-Number <b>A97L-0201-0369/FL608LLB</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A97L-0001-0670/DRF2280H		




**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A97L-0203-0097</b>	Svenska Tanso AB-Number <b>24.56.402</b>	
Connector for filter A99L-0107-0007/6A (04.01.331)		
Equivalent to OEM-Number <b>A98L-0001-0938/1555</b>	Svenska Tanso AB-Number <b>24.06.600</b>	
Clip		
Equivalent to OEM-Number <b>A98L-0001-0938/1573</b>	Svenska Tanso AB-Number <b>24.06.601</b>	
Clip		
Equivalent to OEM-Number <b>A98L-0001-0972</b>	Svenska Tanso AB-Number <b>24.56.211</b>	
V-packing		
Equivalent to OEM-Number <b>A98L-0001-0973</b>	Svenska Tanso AB-Number <b>24.56.212</b>	
V-packing		
Equivalent to OEM-Number <b>A98L-0004-0153/L3260</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A98L-0004-0359/L3260		
Equivalent to OEM-Number <b>A98L-0004-0153/L3330</b>	Svenska Tanso AB-Number ---,---,---	
Replaced by A98L-0004-0359/L3330		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A98L-0004-0359/L1870</b>	Svenska Tanso AB-Number <b>23.07.401</b>	
Conveyer belt 0.7 x 17 x 1870 mm		
Equivalent to OEM-Number <b>A98L-0004-0359/L1930</b>	Svenska Tanso AB-Number <b>23.07.402</b>	
Conveyer belt 0.7 x 17 x 1930 mm		
Equivalent to OEM-Number <b>A98L-0004-0359/L3260</b>	Svenska Tanso AB-Number <b>23.07.411</b>	
Conveyer belt 0.7 x 17 x 3260 mm		
Equivalent to OEM-Number <b>A98L-0004-0359/L3330</b>	Svenska Tanso AB-Number <b>23.07.412</b>	
Conveyer belt 0.7 x 17 x 3330 mm		
Equivalent to OEM-Number <b>A98L-0004-0359/L4110</b>	Svenska Tanso AB-Number <b>23.07.404</b>	
Conveyer belt 0.7 x 17 x 4110 mm		
Equivalent to OEM-Number <b>A98L-0004-0359/L4290</b>	Svenska Tanso AB-Number <b>23.07.405</b>	
Conveyer belt 0.7 x 17 x 4290 mm		
Equivalent to OEM-Number <b>A99L-0107-0001</b>	Svenska Tanso AB-Number <b>04.01.210</b>	
Filter cartridge Mann H34.1158/2 ø340 x 441 mm		

**Svenska Tanso AB wear and spare parts to fit Fanuc machines.**

Equivalent to OEM-Number <b>A99L-0107-0002</b>	Svenska Tanso AB-Number <b>04.01.210</b>	
Filter cartridge Mann H34.1158/2 ø340 x 441 mm		
Equivalent to OEM-Number <b>A99L-0107-0003</b>	Svenska Tanso AB-Number <b>04.01.440</b>	
Filter cartridge Mann H34.1158/4 ø340 x 450 mm		
Equivalent to OEM-Number <b>A99L-0107-0007/6-A</b>	Svenska Tanso AB-Number <b>04.01.331</b>	
Filter cartridge ø340 x 300 mm		

Svenska Tanso AB wear and spare parts are manufactured by specialists in order to meet our customers requirements. For a safe and constant production buy your parts from us.